

Secure Connection Limited
Flat H, 11th Floor, Tower 6,
Grand Water Front, 38 San Ma
Tau Street, To Kwa Wan,
K.L., Hong Kong
support@honeywellconnection.com
Tel.: +852 5803 1828
Web: www.honeywellconnection.com

The Honeywell Trademark is used under
license from Honeywell International
Inc. Honeywell International Inc. makes
no representation or warranties with
respect to these products. These
products are manufactured by Secure
Connection Limited, Hong Kong.

All trade names are registered
trademarks of respective manufacturers
listed. ©2024 Secure Connection
Limited, Hong Kong. All rights reserved.

Honeywell

Honeywell

CHARGING ESSENTIALS

Owner's manual

Please read the manual carefully before use

جهاز تنقية الهواء
دليل المالك
يُرجى قراءة الدليل بعناية قبل الاستخدام



UNIVERSAL WORLD
TRAVEL ADAPTER
PLATINUM SERIES

www.honeywellconnection.com
info@honeywellconnection.com

Dear Customer,

Thank you for purchasing Universal World Travel Adapter.

In order to facilitate the installation and use of this Travel Adapter, we recommend that you carefully read this manual, and keep it stored safely. To ensure that you always enjoy quality performance, please use this manual for proper use and maintenance of your product.

If any questions arise during use, please consult this manual. If it is in accordance with the warranty, we kindly welcome you to contact us at:

support@honeywellconnection.com

We welcome any comments or suggestions you may have about our products and service.

Contents

1. What's in the box	01
2. Performance index	01
3. Introduction	01
4. Features	02
5. Product appearance and structure	02
6. How to use the adapter	03
7. Troubleshooting	04
7.1 Replacement of the fuse	04
7.2 Care for your Universal World Travel Adapter	04

What's in the box

1. Universal World Travel Adapter: 1 Unit
2. User manual: 1 Unit
3. Warranty card: 1 Unit

Performance index

Product Name	Universal World Travel Adapter
Plugs	EU, US, UK, CN
Rating and Wattage	Rating for US: 125V~ 60Hz, 10A Max, 1250W Max Rating for EU/UK/CN: 250V~ 50Hz, 10A Max, 2300W Max
Single Port Output	USB-C Output: 5.0V $\Rightarrow$ 2.4A 12.0W, 9.0V $\Rightarrow$ 3.0A 27.0W, 12.0V $\Rightarrow$ 2.5A 30.0W, 15.0V $\Rightarrow$ 2.0A 30.0W, 20.0V $\Rightarrow$ 1.5A 30.0W USB-A Output: 5.0V $\Rightarrow$ 2.4A 12.0W Max
Multi-Port Output	USB-A+USB-A Output: 5.0V $\Rightarrow$ 3.0A 15.0W Max, 2.4A Max Per Port USB-A+USB-C Output: 5.0V $\Rightarrow$ 4.0A 20.0W Max, 2.4A Max Per Port
Color	White
Size (L*W*H)	75×61×63mm
Weight	215g±5g


Introduction

Universal world travel adapter, is a device that allows you to plug your electronic devices into different types of power outlets found in various countries around the world. This adapter typically comes with various plug configurations that can be adjusted to fit different socket types, allowing travellers to use their devices in foreign countries without compatibility issues. Honeywell Universal world travel adapter has 4 type of plugs EU, US, UK and CN for worldwide compatibility. It is also equipped with PD 30W Port and two USB Ports for charging multiple devices simultaneously.

Features


- Charge 4 devices simultaneously
- Compatible Worldwide
- **Plugs:** EU, US, UK, CN
- **Rating for US:** 125V~ 60Hz, 10A Max, 1250W Max
Rating for EU/UK/CN: 250V~ 50Hz, 10A Max, 2300W Max
- **Single Port Output:**
 - USB C Output upto 30W
 - USB A Output upto 12W
- **Multi-Port Output:**
 - USB-A+USB-A Output upto 15W
 - USB-A+USB-C Output upto 20W
- Overload Protection and Over Voltage Protection
- Lightweight, Portable and Elegant Design
- Ultra-fast charge for Smartphones, iPad, iPad Pro, iPhone 14, 13, 12, 11, X, Xr, Xs, Se, Galaxy S23, S22, S20, S10, Note 20, Pixel, Switch & laptops with Type C port

Product appearance and structure



How to use the adapter


Only one plug-type can be used at one time by sliding the knob selection, other plug-pins are locked automatically.



US Plug:

TO USE: Slightly press the button and slide down until the plug is completely pulled out as shown in the figure.


AFTER USE: Press and hold the plug button to release and continue to pull up until the plug is completely pulled back and then release the button. This way the plug will be reset and locked.



UK Plug:

TO USE: Slightly press the button and slide down until the plug is completely pulled out as shown in the figure.


AFTER USE: Press and hold the plug button to release and continue to pull up until the plug is completely pulled back and then release the button. This way the plug will be reset and locked.



EU Plug:

TO USE: Slightly press the button and slide down until the plug is completely pulled out as shown in the figure.

AFTER USE: Press and hold the plug button to release and continue to pull up until the plug is completely pulled back and then release the button. This way the plug will be reset and locked.



CN Plug:


TO USE: Slightly press the button and slide down until the plug is completely pulled out as shown in the figure.

AFTER USE: Press and hold the plug button to release and continue to pull up until the plug is completely pulled back and then release the button. This way the plug will be reset and locked.

Troubleshooting

Replacement of the fuse

- Tap up the fuse box marked "fuse" with a hard object, and then take out the fuse, as shown in Figure 1.
- Insert a new fuse into the fuse box, and then insert the fuse box into the product, as shown in Figure 2.



Fuse Specification:

BS1362, 240V AC,

Max 10A, 6.3*25.4 mm

Care for your Universal World Travel Adapter

1. For optimum performance, please use the travel adapter according to the user manual.
2. Please plug the travel adapter into socket whose voltage range should be 100-250V AC.
3. Please unplug the travel adapter after use.
4. Do not use the travel adapter with an electronic product which is not in conformity with the specifications.
5. It's normal for the travel adapter to heat up a little during use.
6. Do not place the travel adapter close to a heat source such as fire, stove, candles etc.
7. Keep the travel adapter away from any form of liquids. If you spill any liquid on the travel adapter accidentally, this will void the warranty on the product.

شكراً لاختيارك Universal World Travel Adapter.

لتسهيل عملية تركيب واستخدام محول السفر هذا، يُنصح بقراءة هذا الدليل بعناية والاحتفاظ به في مكان آمن. لضمان استمرار جودة الأداء، يرجى الرجوع إلى هذا الدليل لإجراءات الاستخدام والصيانة السليمة للمنتج.

إذا كانت لديك أية استفسارات أثناء استخدام المنتج، يُرجى الرجوع إلى هذا الدليل. وفي حال وجود أي مطالبات تتعلق بالضمان، يرجى التواصل معنا على:

support@honeywellconnection.com

نُعدنا تلقي أي تعليقات أو اقتراحات لديك بشأن منتجاتنا أو خدماتنا.

المحتويات

1. محتويات العلبة

2. مؤشر الأداء

3. المقدمة

4. الميزات

5. شكل المنتج وتصميمه

6. طريقة الاستخدام

7. استكشاف الأخطاء وإصلاحها

7.1 استبدال المعصر

7.2 الاهتمام بالجهاز

01

01

01

02

02

03

04

04

04

محتويات العلبة

1. Universal World Travel Adapter: قطعة واحدة

2. دليل الاستخدام: قطعة واحدة

3. بطاقة الضمان: قطعة واحدة

مؤشر الأداء

اسم المنتج	Universal World Travel Adapter
القابسات للاتحاد	الأوروبي، المملكة المتحدة، الولايات المتحدة، الصين
الفترة المقتنة والجهد الكهربائي	التقييم للولايات المتحدة: 125 فولت ~ 60 هرتز، 10 أمبير كحد أقصى، 1250 واط كحد أقصى التقييم للاتحاد الأوروبي/المملكة المتحدة/الصين: 250 فولت ~ 50 هرتز، 10 أمبير كحد أقصى، 2300 واط كحد أقصى
خرج المنفذ الفردي/خرج	مخرج USB-C: 5.0 فولت === 2.4 أمبير واط، 9.0 فولت === 3.0 أمبير 27 واط، 12.0 فولت === 2.5 أمبير 30 واط، 15.0 فولت === 2.0 أمبير 30 واط، 20.0 فولت === 1.5 أمبير 30 واط، مخرج USB-A: 5.0 فولت === 2.4 أمبير 12 واط كحد أقصى
خرج المنفذ المتعدد	مخرج USB-A+USB-A: 5.0 فولت === 3.0 أمبير 15 واط كحد أقصى، 2.4 أمبير كحد أقصى لكل منفذ مخرج USB-A+USB-C: 5.0 فولت === 4.0 أمبير 20 واط كحد أقصى، 2.4 أمبير كحد أقصى لكل منفذ
اللون	أبيض
الحجم (الطول*العرض*الارتفاع)	الطول 75* العرض 61* الارتفاع 63 مم
الوزن	215 جم ± 5 جم


المقدمة

Universal World Travel Adapter هو جهاز كهربائي مصمم لتوفير التوافق بين الأجهزة الإلكترونية ومنافذ الكهرباء المختلفة في الدول المختلفة. يأتي هذا المحول عادةً مع مجموعة متنوعة من توكينات القابسات لتناسب أنواع المقابس المختلفة، مما يسمح للمسافرين باستخدام أجهزة تهم في الدول الأجنبية بدون مشاكل في التوافق. يحتوي Universal World Travel Adapter من Honeywell على 4 أنواع من القابسات: الاتحاد الأوروبي، والولايات المتحدة، والمملكة المتحدة، والصين. لتتوافق مع المستخدمة في جميع أنحاء العالم. مزود كذلك بمنفذ PD بقوة 30 واط ومنفذ USB 2 شحن عدة أجهزة في نفس الوقت.

الميزات

- يشحن 4 أجهزة في نفس الوقت
- متوافق في جميع أنحاء العالم
- القابسات: الاتحاد الأوروبي، والمملكة المتحدة، والولايات المتحدة، والصين
- التقييم للولايات المتحدة: 125 فولت ~ 60 هرتز، 10 أمبير كحد أقصى، 1250 واط كحد أقصى للتقريب للاتحاد الأوروبي/المملكة المتحدة: 250 فولت ~ 50 هرتز، 10 أمبير كحد أقصى، 2300 واط كحد أقصى
- خرج المنفذ الفردي:
- خرج كابل من النوع C بقوة تصل إلى 30 واط
- خرج USB A بقوة تصل إلى 12 واط
- خرج المنفذ المتعدد:
- مخرج USB-A+USB-A بقوة تصل إلى 15 واط
- مخرج USB-A+USB-C بقوة تصل إلى 20 واط
- دوائر حماية من الحمل الزائد والجهد الزائد
- وزن خفيف، سهل الحمل وتصميم أنيق
- شحن فائق السرعة للأجهزة الذكية التي تعمل بنظام Android وأجهزة iPhone و iPad والأجهزة اللوحية وأجهزة الكمبيوتر المحمول

شكل المنتج وتصميمه




طريقة استخدام المحول

يمكن استخدام نوع واحد من القابس في كل مرة عن طريق تحريك اختيار الزر، وفي نفس الوقت تكون رؤوس القابسات الأخرى مغلقة تلقائياً.


قابس الولايات المتحدة الأمريكية:

طريقة الاستخدام: اضغط على الزر واسحب لأسفل بسلامة حتى يتم سحب القابس بالكامل كما هو موضح في الشكل.
بعد الاستخدام: اضغط مع الاستمرار على زر القابس لتحريره وواصل سحب القابس للأعلى حتى يتم سحبه بالكامل، ثم حرّر الزر. بهذه الطريقة، سيتم إعادة ضبط القابس وقلعه.




قابس المملكة المتحدة:

طريقة الاستخدام: اضغط على الزر واسحب لأسفل بسلامة حتى يتم سحب القابس بالكامل كما هو موضح في الشكل.
بعد الاستخدام: اضغط مع الاستمرار على زر القابس لتحريره وواصل سحب القابس للأعلى حتى يتم سحبه بالكامل، ثم حرّر الزر. بهذه الطريقة، سيتم إعادة ضبط القابس وقلعه.




قابس الاتحاد الأوروبي:


طريقة الاستخدام: اضغط على الزر واسحب لأسفل بسلامة حتى يتم سحب القابس بالكامل كما هو موضح في الشكل.
بعد الاستخدام: اضغط مع الاستمرار على زر القابس لتحريره وواصل سحب القابس للأعلى حتى يتم سحبه بالكامل، ثم حرّر الزر. بهذه الطريقة، سيتم إعادة ضبط القابس وقلعه.



قابس الصين/أستراليا:

طريقة الاستخدام: اضغط على الزر واسحب لأسفل بسلامة حتى يتم سحب القابس بالكامل كما هو موضح في الشكل.
بعد الاستخدام: اضغط مع الاستمرار على زر القابس لتحريره وواصل سحب القابس للأعلى حتى يتم سحبه بالكامل، ثم حرّر الزر. بهذه الطريقة، سيتم إعادة ضبط القابس وقلعه.





- اضغط على الجزء العلوي من صندوق المصهر الذي يظهر عليه اسم "fUSE" باستخدام أداة صلبة، ثم اسحب المصهر كما هو موضح في الشكل 1.
- ضع مصهراً جديداً في صندوق المصهر، ثم أعد تركيب غلبة المصهر داخل المنتج كما هو موضح في الشكل 2.

خصائص المصهر:

BS1362, 240 فولت تيار متردد، 10 أمبير،
25.4*6.3 مم

الاهتمام بالجهاز

1. للبدء الأمثل، يرجى استخدام محول السفر وفقاً للإرشادات الواردة في دليل المستخدم.
2. يرجى توصيل قابس محول السفر بمقبس كهربائي يكون جهد التيار الكهربائي فيه ضمن النطاق من 100~250 فولت تيار متردد.
3. يرجى فصل المحول بعد الاستخدام.
4. لا تستخدم محول السفر مع منتج إلكتروني لا يتوافق مع المواصفات.
5. من الطبيعي أن يسخن محول السفر قليلاً أثناء الاستخدام.
6. لا تضع محول السفر بالقرب من مصدر حرارة مثل النار أو الموقد أو الشموع وما إلى ذلك.
7. ابق محول السفر بعيداً عن أي سائل. في حالة سقوط أي سائل على محول السفر عن طريق الخطأ، سيجلي ضمان المنتج.